



# SEE-THROUGH FIREPLACE



**DUAL FUEL**  
HIGH EFFICIENCY WOOD & GAS

*Fuego Flame's See-Through Fireplace adds a stylish feature to any home while adding a highly efficient source of heat...*



### *Features:*

- Heat output up to 50,000 BTU's per hour
- Heats up to 3,000 square feet
- Fingertip damper control
- Damper closes completely when not in use & operates up to 95% closed with little or no heat up the chimney
- No electricity needed...good source of emergency heat
- Natural convection circulates heat up to 250 cfm
- Highest heat output without an electric blower
- Higher heat output than most fireplaces with electric blowers
- Hand welded and fully insulated firebox
- Ceramic glass doors withstand heat up to 1400 °
- Solid heavy 12 gauge steel construction for durability and high temperatures
- 20 Year Limited Warranty

### *Dual Fuel*

Dual fuel and convertible... our See-Through Fireplace can burn wood or can be converted to gas burning. For ease of starting your fire, it can be used easily with a gas starter.

### *High Efficiency*

The key to a Fuego's efficiency lies in the unique design and adjustable damper that provides the proper air-flow without the use of noisy and expensive blowers. With the damper 95% closed, the air flow is controlled to provide ultimate burning conditions reaching heat levels between 900 and 1200 degrees. With the ceramic glass doors closed, this clean wood burning fireplace reduces smoke emissions and helps you save on fuel...You burn less wood, spend less time "fetchin," remove ashes less frequently and pay lower fuel bills.

### *Natural Convection*

With your comfort in mind, our engineers designed the fireplace for optimum operation for the highest heat output without the use of electricity. The Fuego Flame See-Through Fireplace's natural convection design puts the heat in the room where it belongs... while letting you enjoy the flame from two sides.

### *Zero Clearance*

A true zero clearance unit, the Fuego Zero Clearance Fireplace can be installed within a wall or placed on any floor. The fireplaces are surrounded by a convection chamber as well as a fully insulated firebox to keep the outer wall cool, with spacers surrounding the cabinet allowing them to be installed in close proximity to the fireplace framing.

*“You will love your Fuego Flame See-Through Fireplace because of its tremendous heat output and large viewing area...one of the largest in the market, a full 32” wide. ”*

*For additional styling...*

The decorative gold accents are 24 karat gold plated to withstand the high heat output.

The "cool to the touch" wood handles come natural so that they can be painted black or stained to match your decor.



BLACK UNIT



GOLD FRAME UNIT WITH BLACK DOORS




BLACK UNIT WITH GOLD DOORS



BLACK UNIT WITH GOLD DOORS & DECORATIVE GOLD TRIM





GOLD FRAME UNIT WITH GOLD DOORS



TYPE:	Dual Fuel - Wood or Gas Burning
STYLE:	Zero Clearance See-Through
FRAMING DIMENSION:	48" Wide x 38" High x 29" Deep
CERAMIC GLASS DOORS:	PER DOOR SIZE: 16" Wide x 19" High
INCLUDED:	Grate for wood or Gas Pan for gas logs Removable Temperature gauge
OPTIONAL:	Outside Air Kit Multiple Decorative 24 Karat Gold Plated Trim
FLUE SIZE:	8" (Requires Class A all fuel pipe)
WARRANTY:	20 Years
SHIPPING WEIGHT:	500 lbs.

## The Fuego Flame difference...

The Fuego Flame See-Through Fireplace uses only one third the wood compared to conventional fireplaces, provides up to 50,000 BTU's per hour of heat, and returns up to 250 cubic feet per minute of heat through its built-in natural convection system. There is no need for electricity. When its flue is closed up to 95 percent, little or no heat is lost up the chimney. All the heat goes into your room.



Fuego Flame Fireplaces are exempt from EPA Emission requirements.

All Fuego Flame Zero Clearance Fireplaces are tested to ANSI/UL 127 & HUD specifications, approved for use in mobile homes with Fuego Flame Fireplaces' Outside Air Kit. Our Inserts are tested and approved to UL 917 for use in all masonry fireplaces built in accordance with the Uniform Building Code.

Please contact your local building and/or fire officials about restrictions and installation inspection in your geographic area.



Fuego Flame Sales  
1600 Bluff Road  
Burlington, Iowa 52601  
p. 1.800.445.1867  
f. 319.752.5538  
Email: [info@fuegoflame.com](mailto:info@fuegoflame.com)  
[www.fuegoflame.com](http://www.fuegoflame.com)

A Division of Flint Cliffs Manufacturing - Burlington, IA

	ACTUAL INSERT SIZES			MINIMUM FIREPLACE OPENING		
	Width	Height	Depth	Width	Height	Depth
A	38"	24"	29"	42"	31"	29"
B	30"	24"	29"	34"	31"	29"
C	33"	20"	29"	37"	27"	29"